

Permatex, Inc.
 10 Columbus Blvd.
 Hartford, CT 06106 USA
 Telephone: 1-87-Permatex
 (877) 376-2839
 Emergency: 800-255-3924
 International Emergency: +01-813-248-0585

Material Safety Data Sheet

1. PRODUCT IDENTIFICATION

Product Name: FAST ORANGE WIPES 72 CT BUCKET
Item No: 25072
Product Type: Cleaning wipes

2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight%	ACGIH; TLV-TWA	OSHA PEL
WATER 7732-18-5	60-80	Not listed	Not listed
D-LIMONENE 5989-27-5	<10	Not listed	Not listed
ETHOXYLATED ALCOHOLS (C12-15 PARETH-7) 68131-39-5	<5	Not listed	Not listed
SODIUM LAURYL SULFATE 151-21-3	<5	Not listed	Not listed

3. HAZARDS IDENTIFICATION

Toxicity: May irritate the eyes. May cause gastric disturbances if swallowed.
Primary Routes of Entry: Eyes, Oral
Signs and Symptoms of Exposure: Contact with eyes may cause tearing and redness. Ingestion may cause nausea and vomiting.

Component	Weight%	NTP	ACGIH Carcinogens	IARC
D-LIMONENE 5989-27-5	<10	male rat-clear evidence; female rat-no evidence; male mice-no evidence; female mice-no evidence		Group 3 Monograph 73, 1999

Medical Conditions Recognized as Being Aggravated by Exposure: None known.

4. FIRST AID MEASURES

Ingestion: If swallowed, DO NOT induce vomiting. Keep individual calm. Obtain medical attention.
Inhalation: None reasonably foreseeable.
Skin Contact: None under normal use.
Eye Contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

5. FIRE FIGHTING MEASURES

Flash Point °F(C°): None
Recommended Extinguishing Media: Water fog, carbon dioxide, foam, dry chemical.
Special Fire-Fighting Procedures: No special procedures.
Hazardous Products of Combustion: Oxides of carbon, Hydrogen sulfide, Sulfur dioxide
Unusual Fire/Explosion Hazards: None.

Lower Explosive Limit: Not determined
Upper Explosive Limit: Not determined

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures: Pick up contaminated wipes and place in an appropriate waste container until disposal.

7. HANDLING AND STORAGE

Storage: Store in a cool, dry area.
Handling: Follow all general safety precautions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes: Not required.
Skin: Not required.
Ventilation: None under normal use.
Respiratory Protection: Not required under normal use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White liquid soaked into non-woven cloth
Odor: Orange
Boiling Point: >200°F
pH: 9.8
Solubility in Water: Dispersible
Specific Gravity: 0.98
VOC(Wt.%): 8%; 78.97 g/l
Vapor Pressure: Not determined
Vapor Density (Air=1): >1
Evaporation Rate: Not determined

10. STABILITY AND REACTIVITY

Chemical Stability: Stable at normal conditions
Hazardous Polymerization: Will not occur.
Incompatibilities: Strong oxidizers, Acids
Conditions to Avoid: Heat.
Hazardous Products of Combustion: Oxides of carbon, Hydrogen sulfide, Sulfur dioxide

11. TOXICOLOGICAL INFORMATION

See Section 3

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Recommended Method of Disposal: Dispose of in accordance with local, state and federal regulations.
US EPA Waste Number: NH - Not a RCRA Hazardous Waste Material

14. TRANSPORTATION INFORMATION

DOT (49CFR 172)

Ground Transport (DOT)

DOT Shipping Name: Not Regulated
Hazard Class: None
UN/ID Number: None

IATA

Proper Shipping Name: Not regulated
Class or Division: None
UN/ID Number: None

IMDG

Proper Shipping: Not regulated
Hazard Class: None
UN Number: None

Marine Pollutant: None

15. REGULATORY INFORMATION

SARA 313 Chemicals: The following component(s) is listed as a SARA Section 313 Toxic Chemical.

None

California Proposition 65: No California Prop 65 chemicals are known to be present.

TSCA Inventory Status: All components of this product are listed (or exempt) on the EPA TSCA inventory.

16. OTHER INFORMATION

Estimated NFPA Rating: HEALTH 1, FLAMMABILITY 1, REACTIVITY 0.

Estimated HMIS Classification: HEALTH 1, FLAMMABILITY 1, PHYSICAL HAZARD 0

NFPA is a registered trademark of the National Fire Protection Assn.

HMIS is a registered trademark of the National Paint and Coatings Assn.

Prepared By: Denise Boyd, Manager-Environmental, Health & Safety
Company: Permatex, Inc. 10 Columbus Blvd. Hartford, CT USA 06106

Revision Date: March 09, 2010

Revision 7

Number:

Telephone No.: 1-87-Permatex (877) 376-2839