



## Safety Data Sheet

### Section 1: Identification

#### Product identifier

- Product Name** • Diesel Power Fuel Injector Cleaner and Lubricant
- Synonyms** • 589361
- Product Code** • 15210; 15220; 15223; 27229

#### Relevant identified uses of the substance or mixture and uses advised against

- Recommended use** • Read label for use directions and claims
- Restrictions on use** • For use only in diesel fuel

#### Details of the supplier of the safety data sheet

- Manufacturer** • Gold Eagle Co.  
4400 S. Kildare Avenue  
Chicago, IL 60632-4372  
United States  
<http://www.goldeagle.com/>
- Telephone (General)** • 773-376-4400

#### Emergency telephone number

- Manufacturer** • 1-800-535-5053 - (INFOTRAC #22283)

### Section 2: Hazard Identification

#### United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

#### Classification of the substance or mixture

- OSHA HCS 2012** • Flammable Liquids 4  
Aspiration 1  
Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects  
Carcinogenicity 2  
Reproductive Toxicity 1B

#### Label elements

OSHA HCS 2012

#### DANGER



- Hazard statements** • Combustible liquid  
May be fatal if swallowed and enters airways  
May cause drowsiness or dizziness  
Suspected of causing cancer.  
May damage fertility or the unborn child.

## Precautionary statements

**Prevention** • Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.  
 Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.  
 Avoid breathing mists, vapours, and/or spray.  
 Use only outdoors or in a well-ventilated area.  
 Wear protective gloves/protective clothing/eye protection/face protection.

**Response** • In case of fire: Use appropriate media for extinction.  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 Call a POISON CENTER or doctor/physician if you feel unwell.  
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
 Do NOT induce vomiting.  
 IF exposed or concerned: Get medical advice/attention.


**Storage/Disposal** • Store in a well-ventilated place. Keep container tightly closed.  
 Keep cool.  
 Store locked up.  
 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## Other hazards

### OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

## Other information



## Section 3 - Composition/Information on Ingredients

### Substances

- Material does not meet the criteria of a substance.

### Mixtures

| Composition                                 |                |            |   |   |
|---|----------------|------------|---|---|
| Chemical Name                               | Identifiers    | %          | LD50/LC50   | Classifications According to Regulation/Directive           |
| Distillates (petroleum), hydrotreated light | CAS:64742-47-8 | 0% TO 75%  | NDA   | OSHA HCS 2012: Flam. Liq. 4; Asp. Tox. 1; STOT SE 3: Narc.  |
| Solvent naphtha                             | CAS:64742-94-5 | 0% TO 15%  | Inhalation-Rat LC50 • >590 mg/m <sup>3</sup> 4 Hour(s)<br>Skin-Rabbit LD50 • >2 mL/kg | OSHA HCS 2012: Not Classified                               |
| Solvent naphtha (petroleum), light aromatic | CAS:64742-95-6 | 0% TO 3.6% | Ingestion/Oral-Rat LD50 • 8400 mg/kg  | OSHA HCS 2012: Eye Irrit. 2; Asp. Tox. 1                    |
| Proprietary                                 | Proprietary    | <= 2%      | Skin-Rabbit LD50 • 10 mL/kg<br>Ingestion/Oral-Rat                                     | OSHA HCS 2012: Flam. Liq. 4; Eye Irrit. 2; STOT SE 3: Narc. |

|                        |                   |                |   |  |
|------------------------|-------------------|----------------|---|--|
|                        |                   |                | LD50 • 5.5 mL/kg  |  |
| 1,2,4-Trimethylbenzene | CAS:95-63-6       | 0% TO<br>2%    | Ingestion/Oral-Rat<br>LD50 • 5 g/kg<br>Inhalation-Rat LC50 •<br>18000 mg/m <sup>3</sup> 4 Hour(s)                           | <b>OSHA HCS 2012:</b> Flam. Liq. 3; Skin Irrit. 2; Eye Irrit. 2;<br>STOT SE 3: Narc; STOT SE 3: Resp. Irrit. (inhl); Asp. Tox.<br>1                                      |
| Naphthalene            | CAS:91-20-3       | <= 1%          | Skin-Rabbit LD50 • >20<br>g/kg<br>Ingestion/Oral-Rat<br>LD50 • 490 mg/kg  | <b>OSHA HCS 2012:</b> Flam. Sol. 2; Acute Tox. 4 (orl); Skin<br>Irrit. 2; Muta. 2; Carc. 2; Repr. 2; STOT SE 3: Narc.; STOT<br>RE 1 (Blood, Eyes; OrL, Inhl)             |
| 1,3,5-Trimethylbenzene | CAS:108-67-<br>8  | 0% TO<br>0.6%  | Inhalation-Rat LC50 •<br>24000 mg/m <sup>3</sup> 4 Hour(s)<br>Ingestion/Oral-Rat<br>LD50 • 5000 mg/kg                       | <b>OSHA HCS 2012:</b> Flam. Liq. 3; Eye Irrit. 2; Skin Irrit. 2;<br>STOT SE 3: Resp. Irrit.; STOT SE 3: Narc.; Asp. Tox. 1   |
| 1,2,3-Trimethylbenzene | CAS:526-73-<br>8  | 0% TO<br>0.6%  | NDA   | <b>OSHA HCS 2012:</b> Flam. Liq. 3; STOT SE 3: Narc.   |
| Xylene                 | CAS:1330-<br>20-7 | 0% TO<br>0.5%  | Ingestion/Oral-Rat<br>LD50 • 4300 mg/kg<br>Inhalation-Rat LC50 •<br>5000 ppm 4 Hour(s)<br>Skin-Rabbit LD50 •<br>>1700 mg/kg | <b>OSHA HCS 2012:</b> Flam. Liq. 3; Acute Tox. 4 (inhl); Skin<br>Irrit. 2; Eye Irrit. 2; Repr. 1B (Inhl); STOT SE 3: Narc.;<br>STOT SE 3: Resp. Irrit.                   |
| 1-Methylethylbenzene   | CAS:98-82-8       | 0% TO<br>0.12% | Ingestion/Oral-Rat<br>LD50 • 1400 mg/kg<br>Skin-Rabbit LD50 •<br>12300 µL/kg<br>Inhalation-Rat LC50 •<br>8000 ppm           | <b>OSHA HCS 2012:</b> Flam. Liq. 3; Acute Tox. 4 (orl); Skin<br>Irrit. 2; Eye Irrit. 2; Carc. 2 (inhl); STOT SE 3: Narc.; STOT<br>SE 3: Resp. Irrit. (inhl); Asp. Tox. 1 |

## Section 4: First-Aid Measures

### Description of first aid measures

#### Inhalation

- Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

#### Skin

- In case of burns, immediately cool affected skin for as long as possible with cold water. Do not remove clothing if adhering to skin. Remove and isolate contaminated clothing. Wash skin with soap and water.

#### Eye

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Get medical attention immediately.

#### Ingestion

- Do NOT induce vomiting. Get medical attention immediately.

### Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

### Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

## Section 5: Fire-Fighting Measures

### Extinguishing media

**Suitable Extinguishing Media** • Use carbon dioxide, dry chemical, foam and/or water fog.

**Unsuitable Extinguishing Media**

- Water spray or fog can cool fire but may not be effective in extinguishing fire.

**Special hazards arising from the substance or mixture**

**Unusual Fire and Explosion Hazards**

- Containers may explode when heated.  
Vapor explosion hazard indoors, outdoors or in sewers.  
Combustible material: may burn but does not ignite readily.  
Many liquids are lighter than water.  
Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks).  
Runoff to sewer may create fire or explosion hazard.  
Vapors may form explosive mixtures with air.  
Vapors may travel to source of ignition and flash back.  
Water may cause frothing.

**Hazardous Combustion Products**

- No data available

**Advice for firefighters**

- Structural firefighters' protective clothing will only provide limited protection.  
Wear positive pressure self-contained breathing apparatus (SCBA).  
Move containers from fire area if you can do it without risk.  
LARGE FIRES: Cool containers with flooding quantities of water until well after fire is out.

**Section 6 - Accidental Release Measures**

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions**

- Ventilate enclosed areas. Do not walk through spilled material. Use appropriate Personal Protective Equipment (PPE) Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

**Emergency Procedures**

- As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. LARGE SPILL: Consider initial downwind evacuation for at least 300 meters (1000 feet) ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering.

**Environmental precautions**

- Prevent entry into waterways, sewers, basements or confined areas.

**Methods and material for containment and cleaning up**

**Containment/Clean-up Measures**

- Stop leak if you can do it without risk.  
Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.  
Use clean non-sparking tools to collect absorbed material.  
A vapor suppressing foam may be used to reduce vapors.  
All equipment used when handling the product must be grounded.  
LARGE SPILLS: Dike far ahead of liquid spill for later disposal.  
LARGE SPILLS: Water spray may reduce vapor; but may not prevent ignition in closed spaces.

**Section 7 - Handling and Storage**

**Precautions for safe handling**

**Handling**

- Use only in well ventilated areas. Avoid contact with heat and ignition sources. Take precautionary measures against static charges. Do not use sparking tools. All equipment used when handling the product must be grounded. Wear appropriate personal protective equipment, avoid direct contact. Avoid breathing mist, vapours, spray. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

## Conditions for safe storage, including any incompatibilities

- Storage**
- Store in a tightly closed container. Store in a well-ventilated place. Store below 150° F. Store in an area equipped with automatic sprinklers or fire extinguishing system. Empty containers contain product residues, assume emptied containers to have same hazards as full containers. Do not apply high heat or flame to containers. Keep separate from strong oxidizing agents.

## Section 8 - Exposure Controls/Personal Protection

### Control parameters

| Exposure Limits/Guidelines        |        |                 |                              |                            |
|-----------------------------------|--------|-----------------|------------------------------|----------------------------|
|                                   | Result | ACGIH           | NIOSH                        | OSHA                       |
| 1-Methylethylbenzene (98-82-8)    | TWAs   | 50 ppm TWA      | 50 ppm TWA; 245 mg/m3 TWA    | 50 ppm TWA; 245 mg/m3 TWA  |
| Xylene (1330-20-7)                | TWAs   | 100 ppm TWA     | Not established              | 100 ppm TWA; 435 mg/m3 TWA |
|                                   | STELs  | 150 ppm STEL    | Not established              | Not established            |
| 1,2,3-Trimethylbenzene (526-73-8) | TWAs   | Not established | 25 ppm TWA; 125 mg/m3 TWA    | Not established            |
| 1,2,4-Trimethylbenzene (95-63-6)  | TWAs   | Not established | 25 ppm TWA; 125 mg/m3 TWA    | Not established            |
| 1,3,5-Trimethylbenzene (108-67-8) | TWAs   | Not established | 25 ppm TWA; 125 mg/m3 TWA    | Not established            |
| Naphthalene (91-20-3)             | TWAs   | 10 ppm TWA      | 10 ppm TWA; 50 mg/m3 TWA     | 10 ppm TWA; 50 mg/m3 TWA   |
|                                   | STELs  | Not established | 15 ppm STEL; 75 mg/m3 STEL   | Not established            |
| Proprietary (Proprietary)         | TWAs   | 100 ppm TWA     | 100 ppm TWA; 600 mg/m3 TWA   | 100 ppm TWA; 600 mg/m3 TWA |
|                                   | STELs  | 150 ppm STEL    | 150 ppm STEL; 900 mg/m3 STEL | Not established            |

### Exposure controls

#### Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Use only appropriately classified electrical equipment.

#### Personal Protective Equipment

##### Pictograms



##### Respiratory

- In case of insufficient ventilation, wear suitable respiratory equipment. Follow the OSHA respirator regulations found in 29 CFR 1910.134. Use a NIOSH/MSHA approved respirator if exposure limits are exceeded or symptoms are experienced.

##### Eye/Face

- Wear chemical splash safety goggles. Wear safety glasses.

##### Skin/Body

- Wear appropriate gloves.

#### Environmental Exposure Controls

- Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

#### Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

STEL = Short Term Exposure Limits are based on 15-minute exposures

NIOSH = National Institute of Occupational Safety and Health  
 OSHA = Occupational Safety and Health Administration

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

## Section 9 - Physical and Chemical Properties

### Information on Physical and Chemical Properties

| <b>Material Description</b>       |  |                              |                                   |
|-----------------------------------|--|------------------------------|-----------------------------------|
| Physical Form                     | Liquid   | Appearance/Description       | Amber liquid with a solvent odor. |
| Color                             | Amber  | Odor                         | Solvent                           |
| Odor Threshold                    | No data available                              |                              |                                   |
| <b>General Properties</b>         |  |                              |                                   |
| Boiling Point                     | No data available                              | Melting Point/Freezing Point | -40 F (-40 C)                     |
| Decomposition Temperature         | > 212 F (> 100 C)                              | pH                           | No data available                 |
| Specific Gravity/Relative Density | = 0.86 Water=1                                 | Water Solubility             | Negligible < 0.1 %                |
| Viscosity                         | 4 Centistoke (cSt, cS) or mm <sup>2</sup> /sec |                              |                                   |
| <b>Volatility</b>                 |  |                              |                                   |
| Vapor Pressure                    | 0.035 mmHg (torr)                              | Vapor Density                | 4.5 Air=1                         |
| Evaporation Rate                  | < 1 n-Butyl Acetate = 1                        | VOC (Wt.)                    | 100 %                             |
| VOC (Vol.)                        | 100 %  | Volatiles (Wt.)              | 100 %                             |
| Volatiles (Vol.)                  | 100 %  |                              |                                   |
| <b>Flammability</b>               |  |                              |                                   |
| Flash Point                       | 170 F (76.6667 C) CC (Closed Cup)              | UEL                          | 5.5 %                             |
| LEL                               | 0.6 %  | Autoignition                 | 215 C (419 F)                     |
| Flammability (solid, gas)         | No data available                              |                              |                                   |

## Section 10: Stability and Reactivity

### Reactivity

- No dangerous reaction known under conditions of normal use.

### Chemical stability

- Stable under normal temperatures and pressures.

### Possibility of hazardous reactions

- Hazardous polymerization will not occur.

### Conditions to avoid

- Keep away from heat, sparks, and flame. Incompatible materials.

### Incompatible materials

- Strong oxidants.

### Hazardous decomposition products

- Decomposes with heat. Hazardous gases/vapors produced are oxides of nitrogen and carbon monoxide. Decomposition temperature is >212°F.

## Section 11 - Toxicological Information

### Information on toxicological effects

| Components   |            |   |
|--|------------|---|
| Solvent naphtha (0% TO 15%)                              | 64742-94-5 | <b>Acute Toxicity:</b> Inhalation-Rat LC50 • >590 mg/m <sup>3</sup> 4 Hour(s); Skin-Rabbit LD50 • >2 mL/kg; <b>Behavioral:Somnolence (general depressed activity); Behavioral:Changes in motor activity (specific assay); Behavioral:Irritability;</b><br><b>Irritation:</b> Skin-Rabbit • 500 µL 24 Hour(s) • Mild irritation  |
| 1,2,4-Trimethylbenzene (0% TO 2%)                        | 95-63-6    | <b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • 5 g/kg; Inhalation-Rat LC50 • 18000 mg/m <sup>3</sup> 4 Hour(s); <b>Multi-dose Toxicity:</b> Inhalation-Rat TCLo • 100 ppm 6 Hour(s) 20 Day(s)-Intermittent; <b>Behavioral:Changes in motor activity (specific assay); Behavioral:Analgesia; Behavioral:Alteration of operant conditioning;</b> Inhalation-Rat TCLo • 20 mg/m <sup>3</sup> 16 Week(s)-Continuous; <i>Kidney, Ureter, and Bladder:Other changes in urine composition</i>  |
| Naphthalene (<= 1%)                                      | 91-20-3    | <b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • 490 mg/kg; Ingestion/Oral-Mouse TDLo • 158 mg/kg; <i>Brain and Coverings:Other degenerative changes; Liver:Other changes; Biochemical:Metabolism (intermediary):Lipids, including transport;</i> Inhalation-Human TCLo • 250 mg/m <sup>3</sup> ; <i>Sense Organs and Special Senses:Eye:Lacrimation; Behavioral:Headache;</i> Skin-Rabbit LD50 • >20 g/kg; Unreported-Guinea Pig LD50 • 1200 mg/kg; <b>Behavioral:Somnolence (general depressed activity);</b><br><b>Irritation:</b> Skin-Rabbit • 0.05 mL 24 Hour(s) • Severe irritation;<br><b>Multi-dose Toxicity:</b> Ingestion/Oral-Rat TDLo • 500 mg/kg 10 Day(s)-Intermittent; <b>Behavioral:Sleep; Lungs, Thorax, or Respiration:Dyspnea;</b> Ingestion/Oral-Rat TDLo • 4500 mg/kg 10 Day(s)-Intermittent; <b>Brain and Coverings:Other degenerative changes;</b><br><b>Mutagen:</b> Specific locus test • Inhalation-Rat • 30 ppm 13 Week(s)-Intermittent; Micronucleus test • Unreported Route-Human • Lymphocyte (Somatic cell) • 30 mg/L;<br><b>Reproductive:</b> Ingestion/Oral-Mouse TDLo • 2400 mg/kg (7-14D preg); <i>Reproductive Effects:Effects on Newborn:Live birth index; Reproductive Effects:Effects on Newborn:Viability index (e.g., # alive at day 4 per # born alive);</i> Ingestion/Oral-Rat TDLo • 4500 mg/kg (6-15D preg); <i>Reproductive Effects:Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus); Reproductive Effects:Specific Developmental Abnormalities:Other developmental abnormalities;</i><br><b>Tumorigen / Carcinogen:</b> Inhalation-Mouse TCLo • 30 ppm 6 Hour(s) 2 Year(s)-Intermittent; <i>Tumorigenic:Neoplastic by RTECS criteria; Lungs, Thorax, or Respiration:Tumors;</i> Inhalation-Rat TCLo • 1575 mg/kg 105 Week(s)-Intermittent; <i>Tumorigenic:Carcinogenic by RTECS criteria; Sense Organs and Special Senses:Olfaction:Tumors;</i> Inhalation-Rat TCLo • 60 ppm 6 Hour(s) 105 Week(s)-Intermittent; <i>Tumorigenic:Carcinogenic by RTECS criteria; Sense Organs and Special Senses:Olfaction:Tumors</i> |
| Solvent naphtha (petroleum), light aromatic (0% TO 3.6%) | 64742-95-6 | <b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • 8400 mg/kg; <b>Behavioral:Somnolence (general depressed activity); Behavioral:Tremor;</b> <i>Lungs, Thorax, or Respiration:Other changes;</i><br><b>Irritation:</b> Eye-Rabbit • 100 µL 24 Hour(s) • Mild irritation;<br><b>Reproductive:</b> Inhalation-Rat TCLo • 1500 ppm (9W male/9W pre-16D post); <i>Reproductive Effects:Effects on Newborn:Growth statistics (e.g., reduced weight gain)</i>   |
| 1,3,5-Trimethylbenzene (0% TO 0.6%)                      | 108-67-8   | <b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • 5000 mg/kg; Inhalation-Rat LC50 • 24000 mg/m <sup>3</sup> 4 Hour(s); <b>Irritation:</b> Eye-Rabbit • 500 mg 24 Hour(s) • Mild irritation; Skin-Rabbit • 20 mg 24 Hour(s) • Moderate irritation;<br><b>Multi-dose Toxicity:</b> Inhalation-Rat TCLo • 100 ppm 6 Hour(s) 20 Day(s)-Intermittent; <b>Behavioral:Changes in motor activity (specific assay); Behavioral:Analgesia; Behavioral:Alteration of operant conditioning;</b> Inhalation-Rat TCLo • 20 mg/m <sup>3</sup> 16 Week(s)-Continuous; <i>Kidney, Ureter, and Bladder:Other changes in urine composition</i>  |
| 1,2,3-Trimethylbenzene (0% TO 0.6%)                      | 526-73-8   | <b>Multi-dose Toxicity:</b> Inhalation-Rat TCLo • 100 ppm 6 Hour(s) 20 Day(s)-Intermittent; <b>Behavioral:Alteration of classical conditioning</b>  |
| 1-Methylethylbenzene (0% TO 0.12%)                       | 98-82-8    | <b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • 1400 mg/kg; <i>Gastrointestinal:Gastritis;</i> Inhalation-Rat LC50 • 39000 mg/m <sup>3</sup> 4 Hour(s); Inhalation-Human TCLo • 200 ppm; <b>Behavioral:Somnolence (general depressed activity); Behavioral:Antipsychotic; Behavioral:Irritability;</b> Inhalation-Mouse TCLo • 5150 mg/m <sup>3</sup> 2 Hour(s); <b>Behavioral:General anesthetic;</b> Inhalation-Rat TCLo • 300 ppm 30 Minute(s); <i>Lungs, Thorax, or Respiration:Respiratory depression;</i> Skin-Rabbit LD50 • 12300 µL/kg;<br><b>Irritation:</b> Eye-Rabbit • 500 mg 24 Hour(s) • Mild irritation; Skin-Rabbit • 100 mg 24 Hour(s) • Moderate irritation;<br><b>Multi-dose Toxicity:</b> Inhalation-Mouse TCLo • 2000 mg/m <sup>3</sup> 14 Week(s)-Continuous; <b>Behavioral:Somnolence (general depressed activity);</b> Inhalation-Rabbit TCLo • 10000 mg/m <sup>3</sup> 2 Hour (s) 24 Week(s)-Intermittent; <i>Lungs, Thorax, or Respiration:Acute pulmonary edema;</i><br><b>Blood:Hemorrhage; Blood:Changes in leucocyte (WBC) count;</b> Inhalation-Rat TCLo • 1200 ppm 6 Hour(s) 13 Week(s)-Intermittent; <i>Sense Organs and Special Senses:Eye:Other; Behavioral:Changes in</i>  |

|                     |             |  |
|---------------------|-------------|--|
|                     |             | <b>motor activity (specific assay); Blood: Pigmented or nucleated red blood cells;</b><br><b>Mutagen:</b> Mutation in microorganisms • Unreported Route-Salmonella typhimurium • 100 µg/plate 3 Hour(s) (-S9)  |
| Xylene (0% TO 0.5%) | 1330-20-7   | <b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • 4300 mg/kg; <b>Liver: Other changes;</b> <b>Kidney, Ureter, and Bladder: Other changes;</b> Inhalation-Rat LC50 • 5000 ppm 4 Hour(s); Inhalation-Human TClO • 200 ppm; <b>Sense Organs and Special Senses: Olfaction: Other changes;</b> <b>Sense Organs and Special Senses: Eye: Conjunctive irritation;</b> <b>Lungs, Thorax, or Respiration: Other changes;</b> Skin-Rabbit LD50 • >1700 mg/kg;<br><b>Irritation:</b> Eye-Rabbit • 5 mg 24 Hour(s) • Severe irritation; Skin-Rabbit • 500 mg 24 Hour(s) • Moderate irritation;<br><b>Multi-dose Toxicity:</b> Inhalation-Rat TClO • 1000 ppm 6 Hour(s) 8 Day(s)-Intermittent; <b>Nutritional and Gross Metabolic: Gross Metabolite Changes: Weight loss or decreased weight gain;</b><br><b>Reproductive:</b> Inhalation-Rabbit TClO • 1 g/m <sup>3</sup> 24 Hour(s)(7-20D preg); <b>Reproductive Effects: Effects on Fertility: Abortion;</b> Inhalation-Rat TClO • 50 mg/m <sup>3</sup> 6 Hour(s)(1-21D preg); <b>Reproductive Effects: Effects on Fertility: Post-implantation mortality;</b> <b>Reproductive Effects: Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus);</b> <b>Reproductive Effects: Specific Developmental Abnormalities: Craniofacial (including nose and tongue);</b> Inhalation-Rat TDLo • 200 ppm 6 Hour(s)(4-20D preg); <b>Reproductive Effects: Specific Developmental Abnormalities: Musculoskeletal system;</b> <b>Reproductive Effects: Effects on Newborn: Behavioral</b> |
| Proprietary (<= 2%) | Proprietary | <b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • 5400 µL/kg; Skin-Rabbit LD50 • 10 mL/kg;<br><b>Irritation:</b> Eye-Human • 8 mg • Mild irritation; Skin-Rabbit • 500 mg-Open • Mild irritation  |

| GHS Properties                | Classification   |
|-------------------------------|--|
| Respiratory sensitization     | OSHA HCS 2012 • No data available  |
| Serious eye damage/Irritation | OSHA HCS 2012 • No data available  |
| Acute toxicity                | OSHA HCS 2012 • No data available  |
| Aspiration Hazard             | OSHA HCS 2012 • Aspiration 1   |
| Carcinogenicity               | OSHA HCS 2012 • Carcinogenicity 2  |
| Skin corrosion/Irritation     | OSHA HCS 2012 • No data available  |
| Skin sensitization            | OSHA HCS 2012 • No data available  |
| STOT-RE                       | OSHA HCS 2012 • No data available  |
| STOT-SE                       | OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects |
| Toxicity for Reproduction     | OSHA HCS 2012 • Toxic to Reproduction 1B   |
| Germ Cell Mutagenicity        | OSHA HCS 2012 • No data available  |

## Potential Health Effects

### Inhalation

- Acute (Immediate)**
  - May affect the central nervous system. Symptoms may include dizziness, drowsiness, lethargy, coma and death.
- Chronic (Delayed)**
  - No data available.

### Skin

- Acute (Immediate)**
  - Material is classified as non-irritant and non-corrosive using GHS criteria.
- Chronic (Delayed)**
  - No data available.

### Eye

- Acute (Immediate)**
  - Material is classified as non-irritant using GHS criteria.
- Chronic (Delayed)**
  - No data available.

### Ingestion

- Acute (Immediate)**
  - Material may be aspirated into lungs during ingestion and/or subsequent vomiting.



Aspiration of this material will cause severe lung injury, chemical pneumonitis, pulmonary edema or death.

**Chronic (Delayed)  
Carcinogenic Effects**

- No data available.
- Suspected of causing cancer. This product contains components that are considered carcinogenic by OSHA, IARC, NTP.

| <b>Carcinogenic Effects</b> |            |                              |   |
|-----------------------------|------------|------------------------------|---|
|                             | <b>CAS</b> | <b>IARC</b>                  | <b>NTP</b>                                    |
| 1-Methylethylbenzene        | 98-82-8    | Group 2B-Possible Carcinogen | Reasonably Anticipated to be Human Carcinogen |
| Naphthalene                 | 91-20-3    | Group 2B-Possible Carcinogen | Reasonably Anticipated to be Human Carcinogen |

**Reproductive Effects**

- Animal tests for components have shown adverse reproductive effects.

**Key to abbreviations**

- LC = Lethal Concentration
- LD = Lethal Dose
- TC = Toxic Concentration
- TD = Toxic Dose

**Section 12 - Ecological Information**

**Toxicity**

- Non-mandatory section - information about this substance not complied for this reason.

**Persistence and degradability**

- Non-mandatory section - information about this substance not complied for this reason.

**Bioaccumulative potential**

- Non-mandatory section - information about this substance not complied for this reason.

**Mobility in Soil**

- Non-mandatory section - information about this substance not complied for this reason.

**Other adverse effects**

- Non-mandatory section - information about this substance not complied for this reason.

**Section 13 - Disposal Considerations**

**Waste treatment methods**

**Product waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Packaging waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Section 14 - Transport Information**

|     | <b>UN number</b> | <b>UN proper shipping name</b> | <b>Transport hazard class(es)</b> | <b>Packing group</b> | <b>Environmental hazards</b> |
|-----|------------------|--------------------------------|-----------------------------------|----------------------|------------------------------|
| DOT | NDA              | Not Regulated                  | NDA                               | NDA                  | NDA                          |

- Special precautions for user** • None specified.
- Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** • No data available

## Section 15 - Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**SARA Hazard Classifications** • Acute, Chronic, Fire

| Inventory                                   |                    |      |
|---|--------------------|------|
| Component                                   | CAS                | TSCA |
| 1,2,3-Trimethylbenzene                      | 526-73-8           | Yes  |
| 1,2,4-Trimethylbenzene                      | 95-63-6            | Yes  |
| 1,3,5-Trimethylbenzene                      | 108-67-8           | Yes  |
| 1-Methylethylbenzene                        | 98-82-8            | Yes  |
| <i>Proprietary</i>                          | <i>Proprietary</i> | Yes  |
| Distillates (petroleum), hydrotreated light | 64742-47-8         | Yes  |
| Naphthalene                                 | 91-20-3            | Yes  |
| Solvent naphtha                             | 64742-94-5         | Yes  |
| Solvent naphtha (petroleum), light aromatic | 64742-95-6         | Yes  |
| Xylene                                      | 1330-20-7          | Yes  |

## United States

### Labor

#### U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

|   |                    |            |
|---|--------------------|------------|
| • Distillates (petroleum), hydrotreated light | 64742-47-8         | Not Listed |
| • 1,2,3-Trimethylbenzene                      | 526-73-8           | Not Listed |
| • Naphthalene                                 | 91-20-3            | Not Listed |
| • 1-Methylethylbenzene                        | 98-82-8            | Not Listed |
| • <i>Proprietary</i>                          | <i>Proprietary</i> | Not Listed |
| • Xylene                                      | 1330-20-7          | Not Listed |
| • 1,2,4-Trimethylbenzene                      | 95-63-6            | Not Listed |
| • Solvent naphtha (petroleum), light aromatic | 64742-95-6         | Not Listed |
| • 1,3,5-Trimethylbenzene                      | 108-67-8           | Not Listed |
| • Solvent naphtha                             | 64742-94-5         | Not Listed |

#### U.S. - OSHA - Specifically Regulated Chemicals

|   |                    |            |
|---|--------------------|------------|
| • Distillates (petroleum), hydrotreated light | 64742-47-8         | Not Listed |
| • 1,2,3-Trimethylbenzene                      | 526-73-8           | Not Listed |
| • Naphthalene                                 | 91-20-3            | Not Listed |
| • 1-Methylethylbenzene                        | 98-82-8            | Not Listed |
| • <i>Proprietary</i>                          | <i>Proprietary</i> | Not Listed |

|   |            |            |
|---|------------|------------|
| • Xylene                                      | 1330-20-7  | Not Listed |
| • 1,2,4-Trimethylbenzene                      | 95-63-6    | Not Listed |
| • Solvent naphtha (petroleum), light aromatic | 64742-95-6 | Not Listed |
| • 1,3,5-Trimethylbenzene                      | 108-67-8   | Not Listed |
| • Solvent naphtha                             | 64742-94-5 | Not Listed |

**Environment**

**U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants**

|   |                    |                        |
|---|--------------------|------------------------|
| • Distillates (petroleum), hydrotreated light | 64742-47-8         | Not Listed             |
| • 1,2,3-Trimethylbenzene                      | 526-73-8           | Not Listed             |
| • Naphthalene                                 | 91-20-3            |                        |
| • 1-Methylethylbenzene                        | 98-82-8            |                        |
| • <i>Proprietary</i>                          | <i>Proprietary</i> | Not Listed             |
| • Xylene                                      | 1330-20-7          | (isomers and mixtures) |
| • 1,2,4-Trimethylbenzene                      | 95-63-6            | Not Listed             |
| • Solvent naphtha (petroleum), light aromatic | 64742-95-6         | Not Listed             |
| • 1,3,5-Trimethylbenzene                      | 108-67-8           | Not Listed             |
| • Solvent naphtha                             | 64742-94-5         | Not Listed             |

**U.S. - CAA (Clean Air Act) - Accidental Release Prevention - Flammable Substances**

|   |                    |            |
|---|--------------------|------------|
| • Distillates (petroleum), hydrotreated light | 64742-47-8         | Not Listed |
| • 1,2,3-Trimethylbenzene                      | 526-73-8           | Not Listed |
| • Naphthalene                                 | 91-20-3            | Not Listed |
| • 1-Methylethylbenzene                        | 98-82-8            | Not Listed |
| • <i>Proprietary</i>                          | <i>Proprietary</i> | Not Listed |
| • Xylene                                      | 1330-20-7          | Not Listed |
| • 1,2,4-Trimethylbenzene                      | 95-63-6            | Not Listed |
| • Solvent naphtha (petroleum), light aromatic | 64742-95-6         | Not Listed |
| • 1,3,5-Trimethylbenzene                      | 108-67-8           | Not Listed |
| • Solvent naphtha                             | 64742-94-5         | Not Listed |

**U.S. - CAA (Clean Air Act) - Accidental Release Prevention - Toxic Substances**

|   |                    |            |
|---|--------------------|------------|
| • Distillates (petroleum), hydrotreated light | 64742-47-8         | Not Listed |
| • 1,2,3-Trimethylbenzene                      | 526-73-8           | Not Listed |
| • Naphthalene                                 | 91-20-3            | Not Listed |
| • 1-Methylethylbenzene                        | 98-82-8            | Not Listed |
| • <i>Proprietary</i>                          | <i>Proprietary</i> | Not Listed |
| • Xylene                                      | 1330-20-7          | Not Listed |
| • 1,2,4-Trimethylbenzene                      | 95-63-6            | Not Listed |
| • Solvent naphtha (petroleum), light aromatic | 64742-95-6         | Not Listed |
| • 1,3,5-Trimethylbenzene                      | 108-67-8           | Not Listed |
| • Solvent naphtha                             | 64742-94-5         | Not Listed |

**U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities**

|   |                    |                                    |
|---|--------------------|------------------------------------|
| • Distillates (petroleum), hydrotreated light | 64742-47-8         | Not Listed                         |
| • 1,2,3-Trimethylbenzene                      | 526-73-8           | Not Listed                         |
| • Naphthalene                                 | 91-20-3            | 100 lb final RQ; 45.4 kg final RQ  |
| • 1-Methylethylbenzene                        | 98-82-8            | 5000 lb final RQ; 2270 kg final RQ |
| • <i>Proprietary</i>                          | <i>Proprietary</i> | Not Listed                         |
| • Xylene                                      | 1330-20-7          | 100 lb final RQ; 45.4 kg final RQ  |
| • 1,2,4-Trimethylbenzene                      | 95-63-6            | Not Listed                         |

|   |            |            |
|---|------------|------------|
| • Solvent naphtha (petroleum), light aromatic | 64742-95-6 | Not Listed |
| • 1,3,5-Trimethylbenzene                      | 108-67-8   | Not Listed |
| • Solvent naphtha                             | 64742-94-5 | Not Listed |

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs**

|   |                    |            |
|---|--------------------|------------|
| • Distillates (petroleum), hydrotreated light | 64742-47-8         | Not Listed |
| • 1,2,3-Trimethylbenzene                      | 526-73-8           | Not Listed |
| • Naphthalene                                 | 91-20-3            | Not Listed |
| • 1-Methylethylbenzene                        | 98-82-8            | Not Listed |
| • <i>Proprietary</i>                          | <i>Proprietary</i> | Not Listed |
| • Xylene                                      | 1330-20-7          | Not Listed |
| • 1,2,4-Trimethylbenzene                      | 95-63-6            | Not Listed |
| • Solvent naphtha (petroleum), light aromatic | 64742-95-6         | Not Listed |
| • 1,3,5-Trimethylbenzene                      | 108-67-8           | Not Listed |
| • Solvent naphtha                             | 64742-94-5         | Not Listed |

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs**

|   |                    |            |
|---|--------------------|------------|
| • Distillates (petroleum), hydrotreated light | 64742-47-8         | Not Listed |
| • 1,2,3-Trimethylbenzene                      | 526-73-8           | Not Listed |
| • Naphthalene                                 | 91-20-3            | Not Listed |
| • 1-Methylethylbenzene                        | 98-82-8            | Not Listed |
| • <i>Proprietary</i>                          | <i>Proprietary</i> | Not Listed |
| • Xylene                                      | 1330-20-7          | Not Listed |
| • 1,2,4-Trimethylbenzene                      | 95-63-6            | Not Listed |
| • Solvent naphtha (petroleum), light aromatic | 64742-95-6         | Not Listed |
| • 1,3,5-Trimethylbenzene                      | 108-67-8           | Not Listed |
| • Solvent naphtha                             | 64742-94-5         | Not Listed |

**U.S. - CERCLA/SARA - Section 313 - Emission Reporting**

|   |                    |                                |
|---|--------------------|--------------------------------|
| • Distillates (petroleum), hydrotreated light | 64742-47-8         | Not Listed                     |
| • 1,2,3-Trimethylbenzene                      | 526-73-8           | Not Listed                     |
| • Naphthalene                                 | 91-20-3            | 0.1 % de minimis concentration |
| • 1-Methylethylbenzene                        | 98-82-8            | 1.0 % de minimis concentration |
| • <i>Proprietary</i>                          | <i>Proprietary</i> | Not Listed                     |
| • Xylene                                      | 1330-20-7          | 1.0 % de minimis concentration |
| • 1,2,4-Trimethylbenzene                      | 95-63-6            | 1.0 % de minimis concentration |
| • Solvent naphtha (petroleum), light aromatic | 64742-95-6         | Not Listed                     |
| • 1,3,5-Trimethylbenzene                      | 108-67-8           | Not Listed                     |
| • Solvent naphtha                             | 64742-94-5         | Not Listed                     |

**U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing**

|   |                    |            |
|---|--------------------|------------|
| • Distillates (petroleum), hydrotreated light | 64742-47-8         | Not Listed |
| • 1,2,3-Trimethylbenzene                      | 526-73-8           | Not Listed |
| • Naphthalene                                 | 91-20-3            | Not Listed |
| • 1-Methylethylbenzene                        | 98-82-8            | Not Listed |
| • <i>Proprietary</i>                          | <i>Proprietary</i> | Not Listed |
| • Xylene                                      | 1330-20-7          | Not Listed |
| • 1,2,4-Trimethylbenzene                      | 95-63-6            | Not Listed |
| • Solvent naphtha (petroleum), light aromatic | 64742-95-6         | Not Listed |
| • 1,3,5-Trimethylbenzene                      | 108-67-8           | Not Listed |
| • Solvent naphtha                             | 64742-94-5         | Not Listed |

**U.S. - CWA (Clean Water Act) - Hazardous Substances**

|   |                    |            |
|---|--------------------|------------|
| • Distillates (petroleum), hydrotreated light | 64742-47-8         | Not Listed |
| • 1,2,3-Trimethylbenzene                      | 526-73-8           | Not Listed |
| • Naphthalene                                 | 91-20-3            |            |
| • 1-Methylethylbenzene                        | 98-82-8            | Not Listed |
| • <i>Proprietary</i>                          | <i>Proprietary</i> | Not Listed |
| • Xylene                                      | 1330-20-7          |            |
| • 1,2,4-Trimethylbenzene                      | 95-63-6            | Not Listed |
| • Solvent naphtha (petroleum), light aromatic | 64742-95-6         | Not Listed |
| • 1,3,5-Trimethylbenzene                      | 108-67-8           | Not Listed |
| • Solvent naphtha                             | 64742-94-5         | Not Listed |

**U.S. - CWA (Clean Water Act) - Toxic Pollutants**

|   |                    |            |
|---|--------------------|------------|
| • Distillates (petroleum), hydrotreated light | 64742-47-8         | Not Listed |
| • 1,2,3-Trimethylbenzene                      | 526-73-8           | Not Listed |
| • Naphthalene                                 | 91-20-3            |            |
| • 1-Methylethylbenzene                        | 98-82-8            | Not Listed |
| • <i>Proprietary</i>                          | <i>Proprietary</i> | Not Listed |
| • Xylene                                      | 1330-20-7          | Not Listed |
| • 1,2,4-Trimethylbenzene                      | 95-63-6            | Not Listed |
| • Solvent naphtha (petroleum), light aromatic | 64742-95-6         | Not Listed |
| • 1,3,5-Trimethylbenzene                      | 108-67-8           | Not Listed |
| • Solvent naphtha                             | 64742-94-5         | Not Listed |

**United States - California****Environment****U.S. - California - Proposition 65 - Carcinogens List**

|   |                    |                                  |
|---|--------------------|----------------------------------|
| • Distillates (petroleum), hydrotreated light | 64742-47-8         | Not Listed                       |
| • 1,2,3-Trimethylbenzene                      | 526-73-8           | Not Listed                       |
| • Naphthalene                                 | 91-20-3            | carcinogen, initial date 4/19/02 |
| • 1-Methylethylbenzene                        | 98-82-8            | carcinogen, initial date 4/6/10  |
| • <i>Proprietary</i>                          | <i>Proprietary</i> | Not Listed                       |
| • Xylene                                      | 1330-20-7          | Not Listed                       |
| • 1,2,4-Trimethylbenzene                      | 95-63-6            | Not Listed                       |
| • Solvent naphtha (petroleum), light aromatic | 64742-95-6         | Not Listed                       |
| • 1,3,5-Trimethylbenzene                      | 108-67-8           | Not Listed                       |
| • Solvent naphtha                             | 64742-94-5         | Not Listed                       |

**U.S. - California - Proposition 65 - Developmental Toxicity**

|   |                    |            |
|---|--------------------|------------|
| • Distillates (petroleum), hydrotreated light | 64742-47-8         | Not Listed |
| • 1,2,3-Trimethylbenzene                      | 526-73-8           | Not Listed |
| • Naphthalene                                 | 91-20-3            | Not Listed |
| • 1-Methylethylbenzene                        | 98-82-8            | Not Listed |
| • <i>Proprietary</i>                          | <i>Proprietary</i> | Not Listed |
| • Xylene                                      | 1330-20-7          | Not Listed |
| • 1,2,4-Trimethylbenzene                      | 95-63-6            | Not Listed |
| • Solvent naphtha (petroleum), light aromatic | 64742-95-6         | Not Listed |
| • 1,3,5-Trimethylbenzene                      | 108-67-8           | Not Listed |
| • Solvent naphtha                             | 64742-94-5         | Not Listed |

**U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)**

|   |            |            |
|---|------------|------------|
| • Distillates (petroleum), hydrotreated light | 64742-47-8 | Not Listed |
|---|------------|------------|

|   |                    |            |
|---|--------------------|------------|
| • 1,2,3-Trimethylbenzene                      | 526-73-8           | Not Listed |
| • Naphthalene                                 | 91-20-3            | Not Listed |
| • 1-Methylethylbenzene                        | 98-82-8            | Not Listed |
| • <i>Proprietary</i>                          | <i>Proprietary</i> | Not Listed |
| • Xylene                                      | 1330-20-7          | Not Listed |
| • 1,2,4-Trimethylbenzene                      | 95-63-6            | Not Listed |
| • Solvent naphtha (petroleum), light aromatic | 64742-95-6         | Not Listed |
| • 1,3,5-Trimethylbenzene                      | 108-67-8           | Not Listed |
| • Solvent naphtha                             | 64742-94-5         | Not Listed |

**U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)**

|   |                    |                 |
|---|--------------------|-----------------|
| • Distillates (petroleum), hydrotreated light | 64742-47-8         | Not Listed      |
| • 1,2,3-Trimethylbenzene                      | 526-73-8           | Not Listed      |
| • Naphthalene                                 | 91-20-3            | 5.8 µg/day NSRL |
| • 1-Methylethylbenzene                        | 98-82-8            | Not Listed      |
| • <i>Proprietary</i>                          | <i>Proprietary</i> | Not Listed      |
| • Xylene                                      | 1330-20-7          | Not Listed      |
| • 1,2,4-Trimethylbenzene                      | 95-63-6            | Not Listed      |
| • Solvent naphtha (petroleum), light aromatic | 64742-95-6         | Not Listed      |
| • 1,3,5-Trimethylbenzene                      | 108-67-8           | Not Listed      |
| • Solvent naphtha                             | 64742-94-5         | Not Listed      |

**U.S. - California - Proposition 65 - Reproductive Toxicity - Female**

|   |                    |            |
|---|--------------------|------------|
| • Distillates (petroleum), hydrotreated light | 64742-47-8         | Not Listed |
| • 1,2,3-Trimethylbenzene                      | 526-73-8           | Not Listed |
| • Naphthalene                                 | 91-20-3            | Not Listed |
| • 1-Methylethylbenzene                        | 98-82-8            | Not Listed |
| • <i>Proprietary</i>                          | <i>Proprietary</i> | Not Listed |
| • Xylene                                      | 1330-20-7          | Not Listed |
| • 1,2,4-Trimethylbenzene                      | 95-63-6            | Not Listed |
| • Solvent naphtha (petroleum), light aromatic | 64742-95-6         | Not Listed |
| • 1,3,5-Trimethylbenzene                      | 108-67-8           | Not Listed |
| • Solvent naphtha                             | 64742-94-5         | Not Listed |

**U.S. - California - Proposition 65 - Reproductive Toxicity - Male**

|   |                    |            |
|---|--------------------|------------|
| • Distillates (petroleum), hydrotreated light | 64742-47-8         | Not Listed |
| • 1,2,3-Trimethylbenzene                      | 526-73-8           | Not Listed |
| • Naphthalene                                 | 91-20-3            | Not Listed |
| • 1-Methylethylbenzene                        | 98-82-8            | Not Listed |
| • <i>Proprietary</i>                          | <i>Proprietary</i> | Not Listed |
| • Xylene                                      | 1330-20-7          | Not Listed |
| • 1,2,4-Trimethylbenzene                      | 95-63-6            | Not Listed |
| • Solvent naphtha (petroleum), light aromatic | 64742-95-6         | Not Listed |
| • 1,3,5-Trimethylbenzene                      | 108-67-8           | Not Listed |
| • Solvent naphtha                             | 64742-94-5         | Not Listed |

**Other Information**

- **WARNING:** This product contains a chemical known to the State of California to cause cancer.

**Section 16 - Other Information**

**Revision Date**

- 09/September/2015

**Preparation Date**

- 09/September/2015

**Other Information**

- Schedule B Number: 3811.19.0000.

**Disclaimer/Statement of Liability**

- Information presented herein is believed to be factual, as it has been derived from the works and opinions of persons believed to be qualified experts. However, nothing contained in this information is to be taken as warranty or representation for which the Gold Eagle Co. bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

**Key to abbreviations**

NDA = No Data Available

---