IDEMITSU

SAFETY DATA SHEET

Product Name:

Honda VTM-4 Differential Fluid (U.S.), 6 X 1 Gallon Case







Revision Date: 19-Apr-2015 **Revision Number: 1**

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Honda VTM-4 Differential Fluid (U.S.), 6 X 1 Gallon Case **Product Name:**

Other means of identification

Product Code: 1665-059

Not available **Synonyms**

1.2 Recommended use of the chemical and restrictions on use

Recommended Use Automotive Lubricant

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufactured by Idemitsu Lubricants America Corporation

701 Port Rd.

Jeffersonville, IN. 47130 Telephone: 812-285-8234

Fax: 812-285-8243

Contact Name: Robin Hutchens Email: sds@ilacorp.com

24 Hour Emergency Phone Number Within USA and Canada: 1-800-424-9300

Outside USA and Canada: + 1 703-741-5970 (collect calls

accepted)

2. HAZARDS IDENTIFICATION

2.1 Classification

This material is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and WHMIS 2015

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Acute toxicity - Inhalation (Gases)	Not classified
Acute toxicity - Inhalation (Vapors)	Not classified
Acute toxicity - Inhalation (Dusts/Mists)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/eye irritation	Not classified
Respiratory sensitization	Not classified
Skin sensitization	Category 1
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Category 2 Testes
Specific target organ toxicity (single exposure)	Not classified
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration toxicity	Not classified
Physical hazards	None

2.2. Label elements



Signal word	Warning
Siuliai woru	vvarninu

Hazard statements H317 - May cause an allergic skin reaction

H361 - Suspected of damaging fertility or the unborn child if

swallowed

Precautionary Statements - Prevention: P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read

Revision Date: 19-Apr-2015

and understood

P280 - Wear protective gloves/protective clothing/eye

protection/face protection

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P272 - Contaminated work clothing should not be allowed out of

the workplace

Precautionary Statements - Response: P308 + P313 - IF exposed or concerned: Get medical

advice/attention

P321 - Specific treatment (see supplemental first aid instructions

on this label)

P362 + P364 - Take off all contaminated clothing and wash it

before reuse

Skin P302 + 352 - IF ON SKIN: Wash with plenty of soap and water

P363 - Wash contaminated clothing before reuse

P333 + P313 - If skin irritation or rash occurs: Get medical

advice/attention

Precautionary Statements - Storage: P405 - Store locked up

Precautionary Statements - Disposal: P501 - Dispose of contents/ container to an approved waste

disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

2.3 Other information

Other hazards • May be harmful in contact with skin

· Harmful to aquatic life with long lasting effects

Revision Date: 19-Apr-2015

Unknown acute toxicity 12.69227% of the mixture consists of ingredient(s) of unknown

toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No	Weight %	Notes
Tricresylphosphate	1330-78-5	<1	
N-Phenyl-1-naphthylamine	90-30-2	<1	

Components that do not contribute to this product's hazards

Chemical Name	CAS-No	Weight %
Lubricating Base Stocks	Mixture	80-90

4. FIRST AID MEASURES

4.1 First Aid Measures

General Advice If symptoms persist, call a physician. Get medical advice/attention if you feel unwell. Take a

copy of the Safety Data Sheet when going for medical treatment.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If eye irritation

persists, consult a specialist.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

Inhalation Move to fresh air in case of accidental inhalation of vapors. If breathing is difficult, give

oxygen. If not breathing, give artificial respiration. Call a physician immediately.

Ingestion Do not induce vomiting without medical advice. If vomiting occurs naturally, have casualty

lean forward to reduce the risk of aspiration. Call a physician or Poison Control Center

immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable Properties NFPA: Class IIIB Combustible Liquid

5.1 Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

5.2 Specific Hazards Arising from the Chemical Keep product and empty container away from heat and sources

of ignition.

Hazardous combustion products: During a fire, smoke may contain the original material in addition

to combustion products of varying composition which may be toxic and / or irritating. Combustion products may include and are not limited to, Carbon oxides, Calcium Oxides (CaOx), Oxides of Magnesium, Nitrogen oxides (NOx), Oxides of

Revision Date: 19-Apr-2015

Phosphorus, Sulphur oxides.

5.3 Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent) and

full protective gear.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with the skin and the eyes. Use personal prot

Avoid contact with the skin and the eyes. Use personal protective equipment. Remove all sources of ignition. Avoid breathing vapors or mists. Ensure adequate ventilation.

sources of ignition. Avoid breatining vapors of mists. Ensure adequate ventilation

6.2 Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Large Spills: Dike far ahead of liquid spill for later recovery and

disposal. Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Methods for Clean-up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceus earth, vermiculite) and place in container for disposal according to local /

national regulations (see section 13).

Spill Management

LARGE SPILLS Eliminate sources of ignition. Prevent additional discharge of material if possible to do so

without hazard. For small spills implement cleanup procedures; for large spills implement cleanup procedures and, if in public area, keep public away and advise authorities. Also, if this product is subject to CERCLA reporting (see Section 15 Regulatory Information) notify

the National Response Center.

WATER SPILLS

Prevent liquid entering sewers, watercourses, or low areas. Contain spilled liquid with sand or earth. Recover by pumping or with suitable absorbent. If liquid is too viscous for pumping, scrape up. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling Wear personal protective equipment. Do not breathe vapors or

spray mist. Remove and wash contaminated clothing before re-use. Keep away from open flames, hot surfaces and sources of ignition. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Revision Date: 19-Apr-2015

Safe Handling Advice Handle in accordance with good industrial hygiene and safety

practices.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep in properly labeled containers. Keep container tightly closed

in a dry and well-ventilated place.

Incompatible Materials and/or Coatings No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

Other Exposure Guidelines (If Generated)

Chemical Name	OSHA PEL	ACGIH TLV	ACGIH OEL (STEL)	NIOSHT REL TWA	ILA IHG	ILA ROEG	ILA Internal Exposure Limit
Oil mist, mineral	TWA: 5 mg/m ³	TWA: 5 mg/m ³		TWA 5 mg/m ³ ST 10 mg/m ³			

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal Protective Equipment

Eye/face protection Tightly fitting safety goggles. Wear chemical splash goggles and face shield when eye and

face contact is possible due to splashing or spraying of material.

Skin protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate to prevent skin contact. Glove Type: Neoprene, Nitriles.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Revision Date: 19-Apr-2015

provided in accordance with current local regulations.

General Hygiene Considerations When using, do not eat, drink or smoke. Clean equipment, work area and clothing regularly.

Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Red / Clear
Physical State Liquid
Odor Mild

Odor Threshold No information available

pH Not applicableMelting point / melting range Not applicable

Boiling point / boiling range No information available

Flash Point > 170 °C / 338 °F COC ASTM D92

Evaporation Rate
Flammability Limit in Air
No information available
Explosion Limits
No information available
Vapor Pressure
Vapor Density (Air)
No information available

Solubility

Partition Coefficient (n-octanol/water)

Autoignition Temperature

Decomposing Temperature

No information available
No information available
No information available

Viscosity @ 40C = 30.91 cSt; @ 100C = 7.32 cSt

Other Information

10. STABILITY AND REACTIVITY

10.1 Reactivity

Reactivity The product is chemically stable

10.2 Chemical stability

Chemical Stability Stable under recommended storage conditions.

10.3 Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerisation does not occur.

10.4 Conditions to Avoid

Conditions to Avoid Heat, flames and sparks.

10.5 Incompatible Materials

Incompatible Materials

Strong oxidizing agents.

10.6 Hazardous Decomposition Products

Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and

Revision Date: 19-Apr-2015

vapors.

11. TOXICOLOGICAL INFORMATION

11.1 Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye contact May cause slight irritation.

Skin Contact May cause an allergic skin reaction. May be harmful in contact with skin.

Ingestion May be harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Tricresylphosphate 1330-78-5	3000 mg/kg (Rat)	1701 mg/kg (Rabbit)	
N-Phenyl-1-naphthylamine = 1625 mg/kg (Rat) 90-30-2			

11.2 Information on toxicological effects

Symptoms No information available

11.3 Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Not classified.

Serious eye damage/eye

irritation

Not classified.

Sensitization May cause an allergic skin reaction.

Mutagenic effects Not classified.

11.4 Carcinogenicity

Carcinogenicity No component of this product present at levels greater than or equal to 0.1% is identified as

a known or anticipated carcinogen by NTP, IARC, OSHA, or ACGIH.

Legend:

NTP: (National Toxicity Program), ACGIH: (American Conference of Governmental Industrial Hygienists), IARC:

(International Agency for Research on Cancer), OSHA: (Occupational Safety & Health Administration)

Reproductive Effects Suspected of damaging fertility or the unborn child if swallowed.

Developmental Effects Not classified.

STOT - single exposure Not classified.

STOT - repeated exposure Not classified

Aspiration hazard Not classified.

11.5 Acute Toxicity

Unknown acute toxicity 12.69227% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document _.

Product Information (Estimated):

 ATEmix (oral)
 > 5,000 mg/kg

 ATEmix (dermal)
 > 2,000 mg/kg

 ATEmix (inhalation-dust/mist)
 > 5 mg/l

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Ecotoxicity effects Harmful to aquatic life with long lasting effects. Plants and animals may experience harmful

or fatal effects when coated with petroleum products. Petroleum-based (mineral) lubricating oils normally will float on water. In stagnant or slow-flowing waterways, an oil layer can cover a large surface area. As a result, this oil layer might limit or eliminate natural atmospheric oxygen transport into the water. With time, if not removed, oxygen depletion in the waterway may be sufficient to cause a fish kill or create an anaerobic environment.

Revision Date: 19-Apr-2015

Unknown aquatic toxicity 14.109724% of the mixture consists of components(s) of unknown hazards to the aquatic

environment

12.2 Persistence and degradability No information available.

12.3 Bioaccumulation/Accumulation No information available

12.4. Mobility in soil No information available

PBT and vPvB assessment No information available

12.5 Other adverse effects: No information available

13. DISPOSAL CONSIDERATIONS

Hazard characteristic and regulatory waste stream classification can change with product use. Accordingly, it is the responsibility of the user to determine the proper storage, transportation, treatment and/or disposal methodologies for spent materials and residues at the time of disposition.

To minimize exposure, see Section 8 (Exposure Controls/Personal Protection) of the SDS.

Waste Disposal Method This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT Not regulated

IATA Not regulated

Revision Date: 19-Apr-2015

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	All ingredients are on the inventory or exempt from listing				
DSL	Not all ingredients are listed on the DSL Inventory List				
NDSL	There are ingredients listed on the NDSL Inventory List NDSL CAS-No Weight %				
Chemical Name					
Tridecane, 1-chloro-	X	822-13-9	<0.01		
EINECS	Does not comply				
ELINCS	Not Listed				
ENCS	Does not comply				
CHINA	All ingredients are or	n the inventory or exempt fro	om listing		
KECL	Γ	Does not comply			
PICCS	[Does not comply			
AICS	Does not comply				
NZIoC	Does not comply				
Mexico (INSQ)]	Does not comply			

USA

Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

CERCLA/SARA 302 & 304

Section 302 & 304 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 355.

Chemical Name	CAS-No	Weight %	RQ	TPQ
Methyl methacrylate	80-62-6	<0.1	1000 lb final RQ	
			454 kg final RQ	
Fumaric acid	110-17-8	110-17-8 <0.1 5000		
			2270 kg final RQ	
Ethylene diamine	107-15-3	77-15-3 <0.01 5000 lb fir		10000 lb TPQ
			2270 kg final RQ	
Aniline	62-53-3 <0.001		5000 lb final RQ	1000 lb TPQ
			2270 kg final RQ	

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs:

Chemical Name	CAS-No	Weight %	HAPS data
Methyl methacrylate	80-62-6	<0.1	X

Revision Date: 19-Apr-2015

Aniline	62-53-3	<0.001	X

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CAS-No	Weight %	U.S CWA (Clean Water Act)
9-Octadecenoic acid (Z)-, zinc salt	557-07-3	<1	X
Methyl methacrylate	80-62-6	<0.1	X
Fumaric acid	110-17-8	<0.1	X
Ethylene diamine	107-15-3	<0.01	X
Aniline	62-53-3	<0.001	X

State Regulations

California Proposition 65

This product contains a chemical known in the State of California to cause cancer

Chemical Name	CAS-No	Weight %	California Prop. 65	Safe Harbor Limits for Cancer-causing Chemicals (NSRLs)
Aniline	62-53-3	<0.001	Carcinogen	100 μg/day

State Right-to-Know

Chemical Name	CAS-No	New Jersey
Petroleum distillates, hydrotreated heavy	64742-54-7	X
paraffinic		

New Jersey Worker and Community Right-to-Know Act:

Under the New Jersey Right-to-Know Act L. 1983 Chapter 315 N.J.S.A. 34:5A-1 et. seq., the product is to be identified as follows: PETROLEUM OIL (Lubricating Oil)

Canada


This material has been classified in accordance with the WHMIS 2015 regulation

Chemical Name	CAS-No	Weight %	NPRI
2,6-di-tert-butyl p-cresol	128-37-0	<1	Listed
Petroleum distillates, hydrotreated light	64742-47-8	<0.1	Listed
Methyl methacrylate	80-62-6	<0.1	Listed
Diphenylamine	122-39-4	<0.01	Listed
Aniline	62-53-3	<0.001	Listed

Legend

NPRI - National Pollutant Release Inventory

16. OTHER INFORMATION



NFPA Health: 1 Flammability: 1 Instability 0

Revision Date: 19-Apr-2015

Prepared By Susie Bibb Revision Date: 19-Apr-2015

Revision Summary: GHS SDS format

Disclaimer:

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet